POST PARTUM (MATERNAL) [POSTNATE]

POST PARTUM HAEMORRHAGE

PRIMARY *[G100_PPH1]:* Y / N 0=No 1=Yes

Major Cause ***[G100_PPHI_R]:*** _____

1 Atonia
2 Retained products
3 Both 1 and 2
4 Retained placenta
5 Lower genital tract trauma
6 Operative blood loss
7 Retained placenta but no PPH
8 Other: _____
9 Unspecified

SECONDARY (> 24h) *[G100_PPH2]:* Y / N

Major cause ***[G100_PPH2_R]:*** _____

1 Retained products
2 Endometritis
3 Both 1 and 2
8 Other _____
9 Unspecified

ACTION (for either) 0=No 1=Yes

Manual removal ***[G100_PPH_MAN]:*** Y / N
ERPC or D&C ***[G100_PPH_DC]:*** Y / N
Antibiotics ***[G100_PPH_AB]:*** Y / N
None of these ***[G100_PPH_NIL]:*** Y / N

POST PARTUM SEPSIS REQUIRING ANTIBIOTICS *[G100_M_SEPSIS]:* Y / N
0=No 1=Yes

Cause ***[G100_MSEP_R]:*** ____: ____

1 = Endometritis
2 = Pelvic / Adnexal
3 = Urinary tract
4= Wound
5=Mastitis
6 = Chest
7 = Episiotomy
8 = Site unknown
9 = Other _____
**value label for K,L,M,P,R,S are not clear*

Positive Blood Cultures ***[G100_MSEP_BL]:*** Y / N 0=No 1=Yes

DAYS POSTNATAL STAY *[G100_M_STAY]:* _____ (If leaves hospital without baby)

ASTHMA *[G100_ASTHMA]:* Y / N

0=No 1=Yes

Severity ***[G100_ASTSEV_1]:*** _____ 1 = Mild 2 = Moderate 3 = Severe

Steroids required ***[G100_ASTHSTER]:*** Y / N 0=No 1=Yes

RENAL TRACT DISEASE *[G100_M_RENAL]* 0=No 1=Yes

Pre-existing ***[G100_PRERENAL]:*** Y / N 0=No 1=Yes

~~Specify:~~

_____

Infection ***[G100_M_UTI]:*** Y / N 0=No 1=Yes

No ***[G100_UTI_NO]:*** *Number of renal tract infection*

Site ***[G100_UTI_SITE]:*** _____

1 = Lower tract only

2 = Pyelonephritis

3 = Both

77 = Unknown

Calculi ***[G100_CALCULI]:*** Y / N 0=No 1=Yes

0=No 1=Yes

DEEP VEIN THROMBOSIS (confirmed in index pregnancy) *[G100_DVT]:* Y / N

GA at diagnosis ***[G100_GA_DVT]:*** _____ w 77=Unknown

Site ***[G100_DVT_SITE]:*** _____ (code highest)

1 = Below knee

2 = Thigh

3 = Femoral

4 = Ext iliac

5 = Int iliac

6 = Common iliac

7 = Vena cava

IV Heparin ***[G100_HEP_IV]:*** Y / N 0=No 1=Yes

SC Heparin ***[G100_HEP_SC]:*** Y / N 0=No 1=Yes

Warfarin ***[G100_WARFARIN]:*** Y / N 0=No 1=Yes

CARDIAC DISEASE

[G100_M_CARD]: Y / N 0=No 1=Yes

~~Specify:~~ _____

Medication ***[G100_CARDMED]:*** 0=No 1=Yes _____

THYROID DISEASE *[G100_THYROID]:* Y / N 0=No 1=Yes

Type ***[G100_THYRTYPE]:*** _____ 1=Hypothyroidism
2=Hyperthyroidism
3=Other

Medication ***[G100_THYRMED]:*** _____

0=None
1=Thyroxine
2=Propylthiouracil

EPILEPSY (Past History) *[G100_EPILEPSY]:* Y / N 0=No 1=Yes

No. of seizures during pregnancy ***[G100_FITS_EP]:*** _____

Medication during ***[G100_EPILMED]:*** 0=No 1=Yes _____

0=No 1=Yes

OTHER MEDICAL PROBLEMS *[G100_M_MED]:* Y / N ~~Specify~~

~~_____ Onset at _____ w~~

THREATENED ABORTION (< 20w) *[G100_THRABORT]*: Y / N 0=No 1=Yes

No. of bleeds ***[G100_ABORTNO]:*** _____

GA ***[G100_GA_ABT1 – G100_GA_ABT4]:*** 77=Unknown _____

Severity ***[G100_SEV_ABT1 – G100_SEV_ABT4]:*** _____

1 = Mild, no pain
2 = Moderate, ache
3 = Severe, pain
77 = Unknown

ANTEPARTUM HAEMORRHAGE *[G100_APH]:* Y / N 0=No 1=Yes

No. of bleeds ***[G100_APHNO]:*** _____

GA ***[G100_GA_APH1 - G100_GA_APH4]:*** _____ (98 = Intrapartum)

Severity ***[G100_SEV_APH1 - G100_SEV_APH4]:*** _____ 1 = mild
2 = moderate
3 = severe
77 = unknown

Cause ***[G100_APH1 – G100_APH4]:*** _____

1 = Placenta praevia
2 = Abruptio placentae (confirmed)
3 = Marginal bleed
4 = Lower genital tract bleeding
5 = Unclassified

ISO-IMMUNISATION *[G100_ISOIMM]:* Y / N 0=No 1=Yes

Type of Antibodies ***[G100_ANTIBOD]:*** _____

1 = D
2 = C
3 = c
4 = E
5 = K (Kell)
6 = Fy (Duffy)
7 = Jk
8 = Other
77 = Unknown

Highest titre = 1 [***G100_ABTITRE***]: ___

Amniocentesis ***[G100_AMNIO]:*** Y / N 0=No 1=Yes

No ***[G100_AMNIONO]:*** _____

GA ***[G100_GA_AMN1 -G100_GA_AMN4]:*** _____

Cordocentesis ***[G100_CORDO]:*** Y / N 0=No 1=Yes

No ***[G100_CORDONO]:*** _____

GA ***[G100_GA_CORD1-G100_GA_CORD4]:***

Intra-uterine trans. ***[G100_IUT]:*** Y / N 0=No 1=Yes

No [***G100_IUTNO***]: _____

GA [***G100_GA_IUT1 - G100_GA_IUT4***]:

Lowest fetal Hb ***[G100_FETALHB]:*** _____ g/dl

CHORIOAMNIONITIS *[G100_CHORIO]:* Y / N 0=No 1=Yes

GA ***[G100_GA_CHOR]:*** _____ w

Antibiotics ***[G100_CHOR_AB]:*** Y / N 0=No 1=Yes

Organism ***[G100_CHOR_ORG]:*** 1=Listeria
2=Bp B Strep
3=Other Strep
8=Other
77=Unknown

With intact membranes ***[G100_CHOR_MI]:*** Y / N 0=No 1=Yes

Onset in labour ***[G100_CHOR_LAB]:*** Y / N

PRE-TERM LABOUR (req admission) ***[G100_TPL]:*** Y / N 0=No 1=Yes

GA (first) ***[G100_GA_TPL]:*** _____ w

Tocolytics ***[G100_TOCO]:*** Y / N 0=No 1=Yes

GA (wks) ***[G100_GA_TOCO1 – G100_GA_TOCO4]:*** _____

Duration (hrs) ***[G100_DUR_TOC1 – G100_DUR_TOC4]:*** _____

Corticosteroids ***[G100_TPL_STER]:*** Y / N 0=No 1=Yes

No. of doses ***[G100_STERNO]:*** _____ (11.4mg)

Steroid therapy at ***[G100_GA_STER1 – G100_GA_STER4]:*** _____ w

Delivery after last dose ***[G100_DEL_STER]:*** _____

1= <24 hours
2= 24-48 hours
3= 48 hours-7 days
4= >7 days

0=No 1=Yes

PRE-TERM BIRTH (<37w) ***[G100_PREM]:*** Y / N

Principal factor precipitating delivery ***[G100_DEL_PREM]:*** _____

1 = Spontaneous labour
2 = Pre-eclampsia/Hypertension
3 = Antepartum haemorrhage
4 = Premature membrane rupture
5 = IUGR
6 = Iso-immunisation
7 = Elective/planned delivery
~~- Reason: _____~~
8 = Other ~~- Specify: _____~~

0=NO 1=Yes

SURGICAL PROCEDURES IN PREGNANCY ***[G100_M_SURG]***

Type of procedure ***[G100_SURGPROC]:*** _____

1 = Cervical suture
2 = Appendix
3 = Ovarian
4 = Other pelvic/abd
5 = Other

Gestational age ***[G100_GA_SURG]:*** _____ w 77=Unknown

0=No 1=Yes

OTHER OBSTETRIC COMPLICATIONS *[G100_OBCOMP]*: Y / N

Specify ***[G100_OBCOM_SP]:*** _____

G100_OBCOM_SP
1=Vulval warts
2=Mycoplasma on Epithelial Cells
3=Arcuate uterus
4=Duritis
5=Bicornuate Uterus
6=Presence of Fibroid/s
7=Ovarian hyperstimulation
8=Herpes
9=Low lying placenta
10=Oligohydramnios
11=Polyhydramnios
12=Urinary retention
13=Mastitis
14=Twins
15=Unstable lie, External cephalic version
16=Other

Onset at ***[G100_GA_OBCOM]:*** _____ w

0=NO 1=Yes

ANTENATAL ADMISSIONS [G100_M_ADM]: Y / N

Total no. of admissions: (<20w) ***[G100_ADMNO1]*** _____
(>20w) ***[G100_ADMNO2]*** _____

Total no. of days: (<20w) ***[G100_ADMDAY1]*** _____
(>20w) ***[G100_ADMDAY2]*** _____

Below variables were dropped because they are not related to the 2868 Raine Study main cohort.

PREGNANCY ENDED BEFORE 20 WEEKS GESTATION

~~***[G100_PREGLOSS]:*** Y / N Date ***[G100_LOSSDATE]:*** ___ / ___ / ___~~

~~Gestation ***[G100_GA_LOSS]:*** _____ w~~

~~Reason for the pregnancy ending ***[G100_LOSS_R]:*** _____~~

~~1 = Spontaneous Miscarriage~~
~~2 = Missed abortion (1st trimester)~~
~~3 = Blighted ovum~~
~~4 = FDIU (2nd trimester)~~
~~5 = Abnormal fetus~~
~~8 = Other: _____~~
~~9 = Unknown~~

~~Action taken:~~

~~Prostin Catheter ***[G100_LOSS_PG]:*** Y / N~~

~~Cervagem pessaries ***[G100_LOSS_CVG]:*** Y / N~~

~~D & C ***[G100_LOSS_DC]:*** Y / N~~

~~Hysterotomy ***[G100_LOSS_H]:*** Y / N~~

~~Other ***[G100_LOSS_OTH]:*** Y / N _____~~